

Технический паспорт изделия : DTFL2450--

Стационарная полка 19", 2U, нагрузка до 50 кг, Г=450 мм,

низкопрофильная 4-точечное крепление, RAL7035



SCHRACK-Info

Smaller devices in your data enclosure that do not comply with the 19" standard can be simply placed on shelves.

- Powder-coated sheet steel
- Colour: RAL7035 (light grey)
- Perforated to avoid blocking of airflow
- Maximum load for 4-point mounting: 50kg
- Space requirement 2U

Flexible depth adjustment. The shelf can protrude behind the 19" level on the back.

- Adjustable Depth Min. = 468mm
- Adjustable Depth Max. = 548mm
- Delivery including mounting material



Технические данные

Ширина нетто (мм)	485,00
Высота нетто (мм)	90,00

Технические данные - Продолжение

Глубина нетто (мм)	450,00
Вес нетто (кг)	2,28
EAN-код	9004840870497
мин. температура окружающей среды (°C)	5
макс. температура окружающей среды (°C)	40
МЕ (1 единица 44,45 мм)	2
Цвет	RAL 7035 (светло-серый)

ОПИСАНИЕ

Номер заказа

Стационарная полка 19", 2U, нагрузка до 50 кг, Г=450 мм,
низкопрофильная 4-точечное крепление, RAL7035

DTFL2450