

Технический паспорт изделия : DTFT1200-B

Стационарная полка 19", 1U, нагрузка до 30 кг, Г=200 мм,

низкопрофильная 2-точечное крепление, RAL9005



SCHRACK-Info

Smaller devices in your data enclosure that do not comply with the 19" standard can be simply placed on shelves.

- Powder-coated sheet steel
- Colour: RAL9005 (Black)
- Perforated to avoid blocking of airflow
- Maximum load for 2-point mounting: 30kg
- Adapter set for 4-point mounting (DTFTZ001), which increases the permissible load, optionally available
- Space requirement 1U
- Flexible depth adjustment. The shelf can protrude behind the 19" level on the back.
- Delivery including mounting material

Технические данные

Ширина нетто (мм)	485,00
Высота нетто (мм)	45,00
Глубина нетто (мм)	200,00
Вес нетто (кг)	0,83
EAN-код	9004840918083
мин. температура окружающей среды (°C)	5

Технические данные - Продолжение

макс. температура окружающей среды (°C)	40
МЕ (1 единица 44,45 мм)	1
Цвет	RAL 9005 (черный)

Таблица артикулов

ОПИСАНИЕ	Номер заказа
Стационарная полка 19", 1U, нагрузка до 30 кг, Г=200 мм, низкопрофильная 2-точечное крепление, RAL9005	DTFT1200-B
опциональные принадлежности	
Набор переходников для полок DTFT, для 4-точечного монтажа Позволяет увеличивать максимально допустимую нагрузку.	DTFTZ001