

Технический паспорт изделия : EV310009--

Выключатель 2-кл. с подсветкой, накл.монтаж, IP20, белый

Surface mounted, Вид подключения Резьбовая клемма



Schrack-Info

Surface-mounted switch made of ABS plastic. The surface-mounted unit is designed for retrofitting indoors. Simple installation due to 4 mounting holes. The cable can easily be fed through breakable holes on the side walls and on the rear side. The device can be easily dismantled by levering it up with a screwdriver in the existing countersink.



Технические данные

Длина нетто (мм)	66,00
Ширина нетто (мм)	66,00
Высота нетто (мм)	35,00
Вес нетто (кг)	0,05
Серия	VISIO IP20
Product typ	Switch
Рабочее напряжение AC (V)	230
Switching current (AX)	10
Монтаж	Настенный монтаж

Технические данные - Продолжение

Тип крепления	прикручивается
Степень защиты	IP20
Цвет	белый
Вид подключения	Резьбовая клемма
Allowed cables	Flexible
Allowed cross-section (mm ²)	1,5 und 2,5
Материал	АБС
	Медь
Environment	Halogen free
Sustainability	ROHS
test mark	VDE
Размеры (мм)	66x66x35

ОПИСАНИЕ

Номер заказа

Выключатель 2-кл. с подсветкой, накл.монтаж, IP20, белый

EV310009

Surface mounted, Вид подключения Резьбовая клемма