

Технический паспорт изделия : QLPOW4820-

Промышл. источник питания, 48В пост.т., 75Вт, DIN-рейка

PoE гот.



SCHRACK-Info

The QLPOW4820- is a DIN-rail industrial power supply is ruggedized, universal input voltage range and full compliance with all important safety and EMC standards.

It can be operated at full load across an ambient temperature range of -10° to 60° Celsius degree without need of additional cooling to guarantee quality for harsh industrial environment.

Moreover, this power unit has been designed specifically for use with Infinity Industrial PoE Ethernet series, also it meets the requirements for both PoE and PoE Plus as well.

TECHNICAL DATA

- Power Input:
 - 90-264VAC or 127-370VDC
- Power Output:
 - 48V 75W
- Country of origin:
 - Taiwan
- eClass number:
 - 27-04-07-04

- HS code:
 - 8504403090
- Package breadth:
 - 125,2 mm
- Package depth:
 - 102 mm
- Package height:
 - 32 mm
- Package type:
 - Corrugated box
- Product description:
 - 48V DC Industrial Power Supply, 75W, DIN-Rail, PoE Ready
- Product group 1:
 - Power supplies
- UPC:
 - 846359003183
- Product weight:
 - 0,51 kg
- Product breadth:
 - 125,2 mm
- Product depth:
 - 102 mm
- Product height:
 - 32 mm
- Color:
 - Silver
- EAN:
 - 4015867206485
- Model number:
 - QLPOW4821-

Package contents

- QLPOW4821-

Технические данные

Ширина нетто (мм)	102,00
Высота нетто (мм)	125,20
Глубина нетто (мм)	32,00
EAN-код	4015867183618
мин. температура окружающей среды (°C)	0

Технические данные - Продолжение

макс. температура окружающей среды (°C)	70
Продукт	Блоки питания
Монтаж	U-образная шина

Таблица артикулов

ОПИСАНИЕ	Номер заказа
Промышл. источник питания, 48В пост.т., 75Вт, DIN-рейка PoE гот.	QLPOW4820